


HIGHLIGHTS


- Compact array mounting solution
- Compatible with VTX A6 and VTX B15
- Low profile

DESCRIPTION

The VTX A6 CM Ceiling Mount accessory allows for a cost-effective way to suspend individual or small A6 arrays from a capable structure in a permanent installation scenario. The ceiling mount creates the lowest profile mounting solution making it a great choice in situations where ceiling height is limited, such as under-balcony fill applications. The arrays are hand stacked from the top down, and down angles are set from the hardware of the first cabinet. The package includes a paper mounting template to quickly locate the mounting holes. For more information about the ceiling mount and use cases, refer to the **VTX A6 Rigging Manual**.



DIMENSIONS



TECHNICAL SPECIFICATIONS

PHYSICAL	
Construction:	High-grade steel with anti-corrosion coating
Finish:	Black powder coat
Mechanical Limits ¹	
Maximum:	(8) VTX A6 (4) VTX B15
Safe Limit :	(8) VTX A6 (4) VTX B15
Dimensions (H x W x D) ² :	31 mm x 518 mm x 301 mm
	(1.2 in x 20.4 in x 11.9 in)
Net Weight:	1.0 kg (2.3 lbs)
Shipping Weight:	1.4 kg (3.1 lbs)

ORDERING INFORMATION

SKU: JBL-P3287MX | VTX A6 CM

Included: (2) Mounting Plates | (1) Drilling Template

Footnotes:

1: Always check mechanical safety with JBL Line Array Calculator 3 software before use. For more information on Safe and Maximum Limits, refer to the VTX A6 Rigging Manual. $\ensuremath{\mathsf{2:}}$ Refer to the 2D and 3D Customer Drawings for more detailed dimensions.

JBL continually engages in research related to product improvement. Some materials, production methods and design refinements are introduced into existing products without notice as a routine expression of that philosophy. For this reason, any current JBL product may differ in some respect from its published description, but will always equal or exceed the original design specifications unless otherwise stated.