



## HIGHLIGHTS

- Vertical transport cart for up to four VTX B28 enclosures
- Truck-friendly dimensions
- Built-in stacking features for easy storage
- Lightweight aluminum design
- Heavy-duty four-grade casters
- Compatible with the VTX A12 VT GND

## DESCRIPTION


The VTX B28 VT Vertical Transporter is a robust, lightweight cart solution for vertically transporting up to four VTX B28 enclosures. The VTX B28 VT is constructed out of aluminum and steel parts and measures 57 inches (1448 mm) wide and 32 inches (813 mm) deep. Stacks of two, three, or four B28 cabinets can be transported in either front-firing or cardioid configurations. The VTX B28 VT CVR, a reinforced protective cover, is available separately. The B28 VT includes mounting holes on each side for attaching to the VTX A12 VT GND outrigger system. The GND attachment provides additional stability for taller B28 ground-stacked arrays or in mixed ground-stacked configurations with B28s and supported VTX full-range cabinets. For more information about the Vertical Transporter and its applications, please refer to the VTX B28 Rigging Manual.



## INCLUDED

- (1) VTX B28 VT Vertical Transporter Cart

## DIMENSIONS



## TECHNICAL SPECIFICATIONS

**Construction:** High-grade steel with anti-corrosion coating and black anodized aluminum

**Finish:** Black Powder Coat

### Mechanical Limits

**Maximum:** (4) VTX B28

**Dimensions (H x W x D)<sup>1</sup>:** 282 mm x 1448 mm x 813 mm  
(11.1 in x 57 in x 32 in)

**Net Weight<sup>2</sup>:** 35 kg (77.2 lbs)

### Footnotes:

- 1: Refer to the 2D and 3D Customer Drawings for more detailed dimensions.  
2: Weight includes the VTX B28 VT only. Soft cover not included.

JBL continually engages in research related to product improvement. Some materials, production methods and design refinements are introduced into existing products without notice as a routine expression of that philosophy. For this reason, any current JBL product may differ in some respect from its published description, but will always equal or exceed the original design specifications unless otherwise stated.