Yealink

Teams and Zoom Room Systems.

Innovate.

MadisonAV is an Australian owned and operated business that innovates, distributes and supports a range of high-quality AV product solutions from globally recognised brands.

We bring together detailed knowledge of AV industry best practice and innovative products from global technology partners.

Our experience supporting AV and broadcast solutions across key market sectors is underpinned by 30 years of insights and customer understanding

Distribute.

Connecting you to world-leading brands.

We efficiently connect customers with leading, state of the art solutions through our sales, warehouse and distribution networks across Australia.

Our heavy investment in stock ensures we have what you need, when you need it.

Support.

Our team is dedicated to finding the best possible solution for every project.

Our dedicated team provide a successful formula for delivering innovation, agility and practicality for any complex AV project challenges.

From specification assistance, design support, or post sale technical support, our team is right behind you.

Contents

Contact Us.

For more information on Yealink solutions for Microsoft Teams & Zoom rooms, for your next project visit us at www.madisonav.com.au or call on 1800 00 77 80

About
Yealink.

Embrace a new era of intelligent Teams Rooms.

A New-Gen of MVC Series for Microsoft Teams Rooms on Windows.

Yealink's new generation of the MVC seriesbreaks down the barriers between meeting rooms and remote participants. Experience a higher level of equity and flexibility across all rooms and impress your audience with a seamless flow of interaction.

Take Your Teams Rooms to **A Higher Level Of Equity**

Driven by cutting-edge AI technology, the new generation of the MVC series aims to elevate collaboration to a whole new level, providing a seamless face-to-face communication experience.

Multi-Stream IntelliFrame

- No one is hidden from view with a 360° panoramic view
- A 10K camera for stunning images
- Individual video feeds of 4 in-room participants, ensuring everyone appears front and center

IntelliFoucs

- Focus on the latest 4 active speakers to ensure natural conversations
- Fast and precise tracking for a seamless meeting flow

Voice and Face Recognition

• Connect peers by associating names with faces and speeches.
• Enjoy automatic speech-to-text transcription with speakers identified by their names

Copilot Integration

• Keep up on action items with AI-generated tasks (coming soon)
• Get a summary of every meeting
• Review content that's most relevant to you
• Translate meeting captions

*Customizable Name

Equally Heard

Thanks to full-duplex voice communication technology, all participants in the video meeting can speak simultaneously, [...]ssion of ideas

Clearly Heard

Yealink's AI Noise Proof Technology enhances the audio experience by leveraging a vast deep-learning sound database to reduce background noises, distracting keyboard clatter, mouse clicks, and footsteps. It also intelligently eliminates other ambient noises, providing crystal-clear audio quality.

Noise

Voice

Take Your Teams Rooms to A Higher Level Of Flexibility

Experience premier audiovisual and room control with Yealink's new generation of MVC series, suitable for rooms of any size. Paired with industry-leading audio and control system providers, our intelligent camera solution delivers a professional-grade meeting experience across diverse rooms and scenarios.

Divisible Rooms

· Simple operation, reducing the time for IT manual deployment.
· Support independent deployment without relying on third-party ProAV products

Boardrooms

· Make strategic decisions with simple but powerful solutions
· Seamless pro-grade meeting and control experience

Training Rooms

· Stay focused during department gatherings with Presenter Tracking in multiple modes
· Different angles with multi-camera
· Flexible audio options with Shure, Biamp, Extron, etc

AI-Powered ProAudio Solution

The AI-powered ceiling ProAudio solution seamlessly integrate with the MVC series, delivering an enhanced AI-powered audio experience for optimal audio performance.

Flexible Audio with Third-Party Solution

Compatible with multiple third-party audio options, providing more flexible audio solutions

biamp.   kramer   nureva
Q-SYS   SHURE   YAMAHA Make Waves

Integrated Room Automation Solution

Tap into smart building ecosystems to create the perfect meeting environment

AMX by HARMAN   ATLONA a Panduit company   biamp.
Extron   Q-SYS

madisonAV
Specialised AV Solutions

Easy Content Sharing without Download

Multiple content sharing protocols, no need to download and install any apps, enabling wireless sharing for systems such as Windows, macOS, iOS, Android, etc.

Miracast*   AirPlay*   Google Cast*   WPP30

*coming soon

Easy Control without Limits

The multi-touch panel solution and multiple deployment options offer greater convenience in meeting and room control, eliminating the need to physically move the touch panel.

The 3rd-Gen MVC Base Kit

MCore Pro Upgrade Highlights

· Faster processing speed
· 3x HDMI out supporting 21:9 displays
· Built-in CEC chip
· Built-in EDID module

MTouch Plus Upgrade Highlights

· 11-inch touch screen
· Multiple deployment options
· Optional PD power supply for powering laptops when sharing screens
· Available in two colors

Includes :

· MCore Pro mini-PC
· MTouch Plus touch console
· RoomSensor

For Small Signature Rooms (up to 10 people)

3:20 PM

Performance and Specs

· 4x Intel Movidius + 1x Nvidia 128-core GPU
· 17 tops AI computing power
· 10K camera module
· 6+1 circular array microphones for AI
  6 array microphones for meetings

Intelligent Features

· Equal layout and multi-stream
· People Identification
· Intelligent audio features
· Supported Copilot

Includes :

· MCore Pro mini-PC
· MTouch Plus touch console
· SmartVision 360° intelligent camera
· RoomSensor

madison AV
Specialised AV Solutions

MVC S40 For Small-to-Medium Rooms (up to 12 people)

3:20 PM

Hans Zeng
Add this room to a meeting with your personal device

3:20 PM

Hans Zeng
Add this room to a meeting with your personal device

MVC S40

Performance and Specs

· 2x 48MP lenses, 120°FoV
· 6m voice pickup range
· AI-Enhanced noise cancellation
· Reverberation Suppresion
· 2x Wire and wireless expansion microphone support

Intelligent Features

· IntelliFocus
· Multi-stream IntelliFrame
· Video & Audio Fence
· Unified Background

Includes :

· Mcore Pro mini-PC
· MTouch E2 or Mtouch Plus touch console
· SmartVision 40 Intelligent Camera

MVC860

Smart 4K Tracking Experience

· 4K sensor and 12x optical zoom
· Intelligent video features
  (Auto Framing/Speaker Tracking/
   Presenter Tracking/Multi-Focus/
   Video Fence)
· Auto-privacy protection

Flexible Audio System

Recommended audio devices including Yealink VCM35 wired microphone, VCM38 ceiling microphone and VCM36 wireless microphone for different demands.

Includes :

· MCore Pro mini-PC
· MTouch Plus touch console
· RoomSensor
· UVC86 camera
· 2x VCM35 array microphones
· Yealink soundbar MSpeaker II
· WPP30 wireless presentation pod

madisonAV
Specialised AV Solutions

Yealink MVC Series Teams Rooms System Specifications

MVC S90 For Pro-AV Rooms (>18 people)

MVC S90

Flexible and Intelligent Pro-AV Solution

· Easily divide or merge two spaces
· Different angles with multi-camera
· Presenter Tracking in multiple modes
· Flexible audio options with Shure, Biamp, Extron, etc.
· Supports Multi-Camera Intelliframe for a natural and
  effortless conversation experience

Includes :

· MCore Pro mini-PC
· MTouch Plus touch console
· RoomSensor
· AVHub
· 2x UVC86 camera
· 2x WPP30 wireless presentation pod
· MVC-BYOD-Extender

Module	Features		MVC340
	Target Room Size		Huddle rooms
Components	Mini-PC		Yealink MCore Pro
	Touch Console & Sharing Device		Yealink MTouch E2
	USB Camera		Yealink UVC34 all-in-one USB video bar
	Audio		Built-in microphone arrays and speaker
	Wireless Presentation		WPP30 (Optional)
	MVC-BYOD-Extender		NA
Mini-PC	CPU		11th-gen Intel i5 quad-core chipset
	Memory		8GB (2*4GB)
	Storage		128GB SSD
	Video Output		3x HDMI, CEC supported
	USB		4x USB3.0
	EDID Built-in		√
	Wi-Fi		√
	Bluetooth		√
	Yealink MTouch Port		√
	Cable Management		√
Touch Console	Console		MTouch E2 touch console
	Screen Size		8 inches IPS screen
	Screen Resolution		1280 x 800
	Bracket		Adjustable 28° ~ 50°
	Human Motion Sensor		√
	3.5mm Audio Port		√
	USB-A Port		1x USB-A Port, connect to USB audio device if necessary
	Content Sharing Resolution / Frame Rate		1080P / 30FPS
	Video Input Interface for Content Sharing		HDMI & USB-C
	Built-in Wi-Fi AP for Content Sharing		√
	Wireless Content Sharing		Work with the Yealink WPP30 wireless presentation pod
Camera Features	UVC Protocol		UVC 1.0
	Zoom		5x digital zoom
	Resolution / Frame Rate		4K / 30FPS
	Field of View (diagonal)		120°
	Pan/Tilt range		ETPZ
	Auto Framing		√
	Speaker Tracking		×
	Presenter Tracking		×
	IntelliFrame (Multi-Stream People Feed)		×
	Power Adapter		AC 100~240V input and DC 48V/0.7A output
AVHub	Camera Layout		NA
	Maximum Number of Cameras		
	Audio Ports		
Audio Features	Speaker	Frequent Response	Built-in 5W high fidelity speaker
		RMS	
		THD	
		Maximum Speakers	
	Microphone		Built-in 8 microphone array
			15ft (4.5-meter) voice pickup range
	3rd Party DSP System Compatibility		NA
Preload	Operating System		Windows 10 IoT Enterprise OS & License Windows 11 IoT Enterprise OS & License (in 2023Q4)
	Microsoft Teams Rooms App		√
	Yealink RoomConnect Device Management Agent		√
Device Management	Windows Update		√
	Yealink Device Management Platform/Cloud Service		√
	Microsoft SCCM		√
	Microsoft Intune		√

madisonAV
Specialised AV Solutions

Yealink MVC Series Teams Rooms System Specifications

Module	Features	MVC S60	MVC S40
	Target Room Size	Small signature rooms	Small-to-medium rooms
Components	Mini-PC	MCore Pro	Mcore Pro
	Touch Console & Sharing Device	Yealink MTouch Plus	Yealink MTouch E2
	USB Camera	SmartVision 60 AIO intelligent camera	SmartVision 40 intelligent camera
	Audio	Built-in microphone arrays and speaker	Built-in microphone arrays and speakers
	Wireless Presentation	WPP30 (Optional)	WPP30(Optional)
	MVC-BYOD-Extender	NA	NA
Mini-PC	CPU	11th-gen Intel i5 quad-core chipset	11th-gen Intel i5 quad-core chipset
	Memory	8GB (2*4GB)	8GB (2*4GB)
	Storage	128GB SSD	128GB SSD
	Video Output	3x HDMI, CEC supported	3x HDMI, CEC supported
	USB	4x USB3.0	4x USB3.0
	EDID Built-in	√	√
	Wi-Fi	√	√
	Bluetooth	√	√
	Yealink MTouch Port	√	√
	Cable Management	√	√
Touch Console	Console	MTouch Plus touch console	MTouch E2 touch console
	Screen Size	11.6 inches IPS screen	8-inch IPS screen
	Screen Resolution	1920 x 1080	1280 x 800
	Bracket	Adjustable 50°~180°(Angle between screen and desktop:30°~70°)	Angle adjustable bracket (28° - 50°)
	Human Motion Sensor	Work with RoomSensor via BLE	Human Motion Sensor
	3.5mm Audio Port	√	√
	USB-A Port	1x USB-A Port, connect to USB audio device if necessary	×
	Content Sharing Resolution / Frame Rate	1080P / 30FPS	1080P/30FPS
	Video Input Interface for Content Sharing	HDMI & USB-C	HDMI/USB-C video input
	Built-in Wi-Fi AP for Content Sharing	√	√
	Wireless Content Sharing	Work with the Yealink WPP30 wireless presentation pod	Support wired and wireless content sharing
Camera Features	UVC Protocol	UVC 1.5	UVC1.0
	Zoom	5x digital Zoom	8x digital zoom
	Resolution / Frame Rate	10K Camera	4k / 60FPS
	Field of View (diagonal)	360°	120°
	Pan/Tilt range	EPTZ	EPTZ
	Auto Framing	×	√
	Speaker Tracking	√	√
	Presenter Tracking	×	√
	IntelliFrame (Multi-Stream People Feed)	√	×
	Power Adapter	AC 100~240V input and DC 15V/2.4A output	AC 100~240V input and DC 15V/2.4A
AVHub	Camera Layout	NA	NA
	Maximum Number of Cameras		
	Audio Ports		
Audio Features	Speaker — Frequent Response	100 Hz - 22K Hz	80-20kHz(-10dB)
	Speaker — RMS	5W	20W
	Speaker — THD	1%	<1%
	Speaker — Maximum Speakers	NA	2
	Microphone	6 microphone arrays for meeting audio 6+1 microphone arrays for AI audio	8 MEMS microphone array
	3rd Party DSP System Compatibility	NA	NA
Preload	Operating System	Windows 10 IoT Enterprise OS & License Windows 11 IoT Enterprise OS & License (in 2023Q4)	Windows 10 IoT Enterprise OS & License Windows 11 IoT Enterprise OS & License (in 2023Q4)
	Microsoft Teams Rooms App	√	√
	Yealink RoomConnect Device Management Agent	√	√
Device Management	Windows Update	√	√
	Yealink Device Management Platform/Cloud Service	√	√
	Microsoft SCCM	√	√
	Microsoft Intune	√	√

Yealink MVC Series Teams Rooms System Specifications

Module	Features	MVC860
	Target Room Size	Large rooms
Components	Mini-PC	Yealink MCore Pro
	Touch Console & Sharing Device	Yealink MTouch Plus
	USB Camera	Yealink UVC86 4K Dual-Eye intelligent camera
	Audio	2x VCM35 array microphones Yealink soundbar MSpeaker II
	Wireless Presentation	WPP30
	MVC-BYOD-Extender	Optional
Mini-PC	CPU	11th-gen Intel i5 quad-core chipset
	Memory	8GB (2*4GB)
	Storage	128GB SSD
	Video Output	3x HDMI, CEC supported
	USB	4x USB3.0
	EDID Built-in	√
	Wi-Fi	√
	Bluetooth	√
	Yealink MTouch Port	√
	Cable Management	√
Touch Console	Console	MTouch Plus touch console
	Screen Size	11.6 inches IPS screen
	Screen Resolution	1920 x 1080
	Bracket	Adjustable 50° ~ 180°(Angle between screen and desktop: 30° ~ 70°)
	Human Motion Sensor	Work with RoomSensor via BLE
	3.5mm Audio Port	√
	USB-A Port	1x USB-A Port, connect to USB audio device if necessary
	Content Sharing Resolution / Frame Rate	1080P / 30FPS
	Video Input Interface for Content Sharing	HDMI & USB-C
	Built-in Wi-Fi AP for Content Sharing	√
	Wireless Content Sharing	Work with the Yealink WPP30 wireless presentation pod
Camera Features	UVC Protocol	UVC 1.0
	Zoom	20X HD zoom (12X optical, 1.7 digital)
	Resolution / Frame Rate	4K / 30FPS
	Field of View (diagonal)	90°
	Pan/Tilt range	±100° Pan, +40°/-90° tilt
	Auto Framing	√
	Speaker Tracking	√
	Presenter Tracking	√
	IntelliFrame (Multi-Stream People Feed)	×
	Power Adapter	AC 100~240V input and DC 48V/0.7A output
AVHub	Camera Layout	NA
	Maximum Number of Cameras	
	Audio Ports	
Audio Features	Speaker — Frequent Response	100 Hz - 20K Hz
	Speaker — RMS	10W
	Speaker — THD	1.00%
	Speaker — Maximum Speakers	Up to 4
	Microphone	2x VCM35 tabletop mics Built-in 3-mic array 360°, 10ft(3-meter) voice pickup range Cascade connection up to 8 units
	3rd Party DSP System Compatibility	Compatible with 3rd party DSP systems including Shure, Biamp, Q-SYS, etc.
Preload	Operating System	Windows 10 IoT Enterprise OS & License Windows 11 IoT Enterprise OS & License (in 2023Q4)
	Microsoft Teams Rooms App	√
	Yealink RoomConnect Device Management Agent	√
Device Management	Windows Update	√
	Yealink Device Management Platform/Cloud Service	√
	Microsoft SCCM	√
	Microsoft Intune	√

madison AV
Specialised AV Solutions

Yealink MVC Series Teams Rooms System Specifications

Module	Features	MVC940
	Target Room Size	Extra-Large rooms
Components	Mini-PC	Yealink MCore Pro
	Touch Console & Sharing Device	Yealink MTouch Plus
	USB Camera	2×Yealink UVC84 4K 12X optical PTZ camera
	Audio	Flexible options
	Wireless Presentation	2×WPP30 wireless presentation pod
	MVC-BYOD-Extender	Optional
Mini-PC	CPU	11th-gen Intel i5 quad-core chipset
	Memory	8GB (2*4GB)
	Storage	128GB SSD
	Video Output	3x HDMI, CEC supported
	USB	4x USB3.0
	EDID Built-in	√
	Wi-Fi	√
	Bluetooth	√
	Yealink MTouch Port	√
	Cable Management	√
Touch Console	Console	MTouch Plus touch console
	Screen Size	11.6 inches IPS screen
	Screen Resolution	1920 x 1080
	Bracket	Adjustable 50° ~ 180° (Angle between screen and desktop: 30° ~ 70°)
	Human Motion Sensor	Work with RoomSensor via BLE
	3.5mm Audio Port	√
	USB-A Port	1x USB-A Port, connect to USB audio device if necessary
	Content Sharing Resolution / Frame Rate	1080P / 30FPS
	Video Input Interface for Content Sharing	HDMI & USB-C
	Built-in Wi-Fi AP for Content Sharing	√
	Wireless Content Sharing	Work with the Yealink WPP30 wireless presentation pod
Camera Features	UVC Protocol	UVC 1.0
	Zoom	36X HD zoom (12X optical, 3X digital)
	Resolution / Frame Rate	4K / 30FPS
	Field of View (diagonal)	80°
	Pan/Tilt range	±100° Pan, +40°/-90° tilt
	Auto Framing	√
	Speaker Tracking	×
	Presenter Tracking	×
	IntelliFrame (Multi-Stream People Feed)	×
	Power Adapter	AC 100~240V input and DC 48V/0.7A output
AVHub	Camera Layout	√
	Maximum Number of Cameras	9
	Audio Ports	1x RCA-in, 1x RCA out, 1x 6.3 mm line-in, 1x 6.3 mm line-out
Audio Features	Speaker — Frequent Response	NA
	Speaker — RMS	
	Speaker — THD	
	Speaker — Maximum Speakers	
	Microphone	
	3rd Party DSP System Compatibility	Compatible with 3rd party DSP systems including Shure, Biamp, Q-SYS, etc.
Preload	Operating System	Windows 10 IoT Enterprise OS & License Windows 11 IoT Enterprise OS & License (in 2023Q4)
	Microsoft Teams Rooms App	√
	Yealink RoomConnect Device Management Agent	√
Device Management	Windows Update	√
	Yealink Device Management Platform/Cloud Service	√
	Microsoft SCCM	√
	Microsoft Intune	√

Yealink MVC Series Teams Rooms System Specifications

Module	Features	MVC S90
	Target Room Size	Pro-AV rooms
Components	Mini-PC	MCore Pro
	Touch Console & Sharing Device	Yealink MTouch Plus
	USB Camera	2×Yealink UVC86 4K dual-eye intelligent camera
	Audio	Flexible options
	Wireless Presentation	2×WPP30 wireless presentation pod
	MVC-BYOD-Extender	Optional
Mini-PC	CPU	11th-gen Intel i5 quad-core chipset
	Memory	8GB (2*4GB)
	Storage	128GB SSD
	Video Output	3x HDMI, CEC supported
	USB	4x USB3.0
	EDID Built-in	√
	Wi-Fi	√
	Bluetooth	√
	Yealink MTouch Port	√
	Cable Management	√
Touch Console	Console	MTouch Plus touch console
	Screen Size	11.6 inches IPS screen
	Screen Resolution	1920 x 1080
	Bracket	Adjustable 50°~180° (Angle between screen and desktop:30°~70°)
	Human Motion Sensor	Work with RoomSensor via BLE
	3.5mm Audio Port	√
	USB-A Port	1x USB-A Port, connect to USB audio device if necessary
	Content Sharing Resolution / Frame Rate	1080P / 30FPS
	Video Input Interface for Content Sharing	HDMI & USB-C
	Built-in Wi-Fi AP for Content Sharing	√
	Wireless Content Sharing	Work with the Yealink WPP30 wireless presentation pod
Camera Features	UVC Protocol	UVC 1.0
	Zoom	20X HD zoom (12X optical, 1.7 digital)
	Resolution / Frame Rate	4K / 30FPS
	Field of View (diagonal)	90°
	Pan/Tilt range	±100° Pan, +40°/-90° tilt
	Auto Framing	√
	Speaker Tracking	√
	Presenter Tracking	√
	IntelliFrame (Multi-Stream People Feed)	Coming soon
	Power Adapter	AC 100~240V input and DC 48V/0.7A output
AVHub	Camera Layout	√
	Maximum Number of Cameras	9
	Audio Ports	1x RCA-in, 1x RCA out, 1x 6.3 mm line-in, 1x 6.3 mm line-out
Audio Features	Speaker — Frequent Response	NA
	Speaker — RMS	
	Speaker — THD	
	Speaker — Maximum Speakers	
	Microphone	
	3rd Party DSP System Compatibility	Compatible with 3rd party DSP Systems including Shure, Biamp, Q-SYS, etc.
Preload	Operating System	Windows 10 IoT Enterprise OS & License Windows 11 IoT Enterprise OS & License (in 2023Q4)
	Microsoft Teams Rooms App	√
	Yealink RoomConnect Device Management Agent	√
Device Management	Windows Update	√
	Yealink Device Management Platform/Cloud Service	√
	Microsoft SCCM	√
	Microsoft Intune	√

Video Device Solutions on Android
for Microsoft Teams Rooms and Zoom Rooms

Yealink MeetingBar, the all-in-one video bar is designed for small, medium and large rooms.

Based on the Android 10 OS and supporting cloud video platforms like Microsoft Teams and Zoom, the Yealink MeetingBar integrates the PC, camera and audio components into a simple video bar. No PC or individual components are required, allowing plug-and-play for a dedicated room setup in minutes, greatly reducing the time needed for deployment and management.

Certified for Microsoft Teams

ZOOM Certified

MeetingBar A20 For small rooms

- All-in-one MeetingBar for smart Teams collaboration
- 120° field of view, 20MP, AI-powered camera
- HD full-duplex audio experience
- Quick setup and easy to manage

Package	Camera	Audio	Meeting Features

o MeetingBar A20
o 3m Ethernet cable
o 2x 1.8m HDMI cable
o Mounting bracket and accessories
o Power adapter
o Quick Start Guide
	o 20MP Camera
	o 120° field of view
	o 8x e-PTZ camera
	o Electric privacy shutter
	o AI Feature
	  - Auto Framing
	  - Speaker Tracking
		o Built-in 8 MEMS microphone array
		o Support extention mic
		o Built-in 5W high fidelity speaker
		o Yealink Noise Proof Technology
		o Beamforming directed voice pickup technology
		o Full-duplex
		o Echo cancellation
			o Calendar
			o One-click join
			o Proximity join
			o PSTN dial-in
			o Meeting collaboration
			  - Content sharing
			  - Whiteboard
			o Meeting control
			  - Add participates
			  - Hold/Resume
			  - Camera On/Off
			  - Mute/Unmute
			  - Volume Up/Down
			  - Hang up

MeetingBar A10 For huddle spaces and home offices

- All-in-one MeetingBar designed for small spaces
- 120° field of view, 4K camera, AI-powered video features
- Full-duplex audio and AI-enhanced Noise Cancellation
- Support plug-and-share wireless presentation with WPP30
- Quick setup and easy to manage

Package	4K Camera	Audio	Meeting Features

o MeetingBar A10
o 3m Ethernet cable
o 1.8m HDMI cable
o Mounting bracket and accessories
o Power adapter
o Quick start guide
	o 4K camera
	o 120° field of view
	o 4x e-PTZ camera
	o Electric privacy shutter
	o AI feature
	  - Auto Framing
	  - Speaker Tracking
		o Built-in microphone array
		o Built-in high fidelity speaker
		o AI Noise Cancellation Algorithm
		o Full-duplex
		o Echo cancellation
			o Calendar
			o One-click join
			o Meeting collaboration
			  - Content sharing
			o Meeting control:
			  - Add participates
			  - Hold/Resume
			  - Camera On/Off
			  - Mute/Unmute
			  - Volume Up/Down
			  - Hang up

MeetingBar A30 For medium rooms

- All-in-one MeetingBar for smart AI features
- Dual-camera system for large views
- HD full-duplex audio and great pickup range
- Plug-and-play setup and easy management

Package	Dual Camera System	Audio	Meeting Features

o MeetingBar A30
o 3m Ethernet cable
o 2 x 1.8m HDMI cable
o Mounting Bracket and Accessories
o Power adapter
o Quick Start Guide
o Controller (optional):
  - CTP18 Touch Panel
  - VCR20 Remote Control
o Content sharing (optional):
  - VCH51 Sharing Kit (HDMI/USB-C)
  - WPP20 Wireless Presentation Pod
	Wide Camera:
	o 8MP Camera
	o Field of view: 120°
	o 4x e-PTZ Camera
	Telephoto Camera:
	o 8MP Camera
	o Field of view: 90°
	o 10x Hybrid Zoom (3.5x optical, 3x digital)
	o Horizontal Rotation Angle: +25°/-25°
	o Vertically Rotation Angle: +16°/-16°
	o Electric Privacy Shuer
	o Intelligence Features
	  - Auto Framing
	  - Speaker Tracking
		o Built-in 8 MEMS microphone array
		o Support extention mic
		o Two Built-in 5W high fidelity speaker
		o Yealink Noise Proof Technology
		o Beamforming directed voice pickup technology
		o Full-duplex
		o Echo cancellation
			o Calendar
			o One-click join
			o Meeting collaboration
			  - Content sharing
			  - Whiteboard
			o Meeting control
			  - Add participants
			  - Hold/Resume
			  - Camera On/Off
			  - Mute/Unmute
			  - Volume Up/Down
			  - Hang up
			  - Microsoft DM
			  - Proximity join

madison AV Specialised AV Solutions

Collaboration Display Solutions on Android
for Microsoft Teams Rooms and Zoom Rooms

Certified for Microsoft Teams

zoom Certified

Meeting Board 65/86" Display

An innovative collaboration display for creative teamwork
- All-in-one design that fits all meeting rooms
- Smart collaboration whiteboard
- Premium and intelligent video experience
- Premium full-duplex audio experience

DeskVisionA24 Desktop Display

A desktop collaboration display for your instant workspace
- PC monitor mode & video conference terminal mode
- High quality microphone and speakers
- Full-HD video call
- Wireless charger for mobile phone

Collaboration Display Solutions Specifications

Module		MeetingBoard
OS	OS	Android 10
Chipset	SoC	QUALCOMM SNAPDRAGON 845
Display	Size	65/85"
	Backlight type	D-LED
	Resolution	3840 x 2160
	Ratio	16:9
	Anti-Fingerprint	√
	Anti-Glare	√
Built-in Camera	Resolution	3840*2160
	Lens	8MP
	Field of view	120° diagonal field of view
	Zoom	e-PTZ
		4 x digital zoom
	Privacy shutter	Automatic Hiding Shutter
Audio	Microphone	Built-in 16 MEMS Mic Array
	Speaker	4 full range + 2 tweeter stereo speakers
	RCA input/output	√
	Acoustic echo cancellation	√
	Reverberation suppression	√
	Beamforming technology	√
Buttons	LED lightstrips	√
	Home button	√
	Input source button	√
	Volume up/down button	√
Connections	HDMI	1 × HDMI output
		1 × HDMI input
	CEC	√
	PTZ camera port	√
	VCH	1 × Yealink VCH port (RJ-45)
	USB	3 × USB Type A
	Ethernet port	1 x 10/100M/1000M Ethernet port
	Wi-Fi	Wi-Fi6 2x2 MIMO dual-band
	Bluetooth	Built-in Bluetooth 5.0
	Security lock slot	e-PTZ
		4 x digital zoom
	Windows OPS slot	Automatic Hiding Shutter
	Reset slot	√
	Motion sensor	√

Module		DeskVision A24
Screen Specifications	Dimensions	23.8"
	Resolution	1920 x 1080
	Refresh Rate	60Hz
	Colour Depth	8 bit
	Contrast Ratio	1000:1
	Viewing angle	Horizontal: 178°
		Pitch: 178°
	Multi-touch	10 points
Camera Specifications	Camera FOV	90°
	Video Specifications	Up to 1080p30 Video Call
	Privacy protection	Automatically lifted or manually controlled lift
Audio Specifications	Microphone Type	Built-in microphone array
	Intelligent noise cancellation technology	√
	Speaker	Built-in Stereo Speaker
Application Mode	Dual Mode	Built-in Android + Monitor Mode
	Android System	supports 2.4G / 5G dual-mode Wi-Fi Support Bluetooth 4.2
	HDMI in	1
	USB-C	1x USB-C 3.0 upstream, DP-IN, provide PD up to 45w
		1x USB-C 3.0 downstream interfaces for connecting peripherals, Only supports the use of PCs connected to the USB-C upstream interface
Physical interface	USB-A	2x USB-A 3.0 downstream interfaces for connecting peripherals, Only supports the use of PCs connected to the USB-C upstream interface
		1x USB-A 2.0 downstream interface, used to connect to headphones
	Power	DC 19V
	Wireless Charging	Support wireless charging for mobile phone
	Button	Power, Volume, Mute, Camera on/off, Switch mode, Teams button

Connect
with us.

Call 1800 00 77 80
connect@madisonav.com.au
www.madisonav.com.au

Sydney
149 Beaconsfield Street
Silverwater NSW 2128

Melbourne
51 Barclay Road
Derrimut VIC 3026

Brisbane
Level 2, Building 1
61 Metroplex Ave
Murarrie QLD 4172

Perth
73 Boulder Road
Malaga WA 6090

YLK-2407

beyond connected